

Message

---

**From:** rogers, rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RROGER04]  
**Sent:** 1/9/2018 2:14:51 AM  
**To:** Lueckenhoff, Dominique [Lueckenhoff.Dominique@epa.gov]  
**Subject:** FW: Chemours GenX ltfinal1318 rev2docx jec.docx  
**Attachments:** Chemours GenX ltfinal1318 rev2docx jec.docx

Just saw you didn't get this one, either.

Rick Rogers, Associate Director  
Office of Drinking Water and Source Water Protection  
Water Protection Division (3WP20)  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
rogers.rick@epa.gov  
Office: 215.814.5711  
Cell: 215.341.4762

---

**From:** Duchovnay, Andrew  
**Sent:** Friday, January 05, 2018 9:33 AM  
**To:** Reinhart, Roger <Reinhart.Roger@epa.gov>; Bennett, James <bennett.james@epa.gov>; rogers, rick <rogers.rick@epa.gov>; McManus, Catharine <mcmamus.catharine@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Coe, Mary <Coe.Mary@epa.gov>; Field, Stephen <Field.Stephen@epa.gov>; Day, Christopher <Day.Christopher@epa.gov>; Swan, Russell <Swan.Russell@epa.gov>; Freed, Elisabeth <Freed.Elisabeth@epa.gov>; Speir, Jeffrey <speir.jeffrey@epa.gov>  
**Subject:** Chemours GenX ltfinal1318 rev2docx jec.docx

Good morning all, attached is the most recent draft letter to Chemours. This letter reflects ORCA's most recent comments. Unless there are no final edits required we will be placing this letter into concurrence as soon as possible.

## Ex. 5 AC/AWP/DP

Thank you all for your help in moving this forward.

Andy